

1m/MTH-100 Syllabus-2023

2025

(Nov-Dec)

FYUP : 1st Semester Examination

MINOR

MATHEMATICS

(Fundamental Mathematics—I)

MTH-100

Marks : 75

Time : 3 hours

*The figures in the margin indicate full marks
for the questions*

Answer **four** questions, selecting **one** from
each Unit

UNIT—I

1. (a) Evaluate :

3+3=6

(i) $\lim_{x \rightarrow 3} \frac{x^2 + x - 12}{x - 3}$

(ii) $\lim_{x \rightarrow \infty} \frac{2x^2 - x + 6}{3x^2 + 2x + 1}$

26D/167

(Turn Over)

(2)

(b) Let

$$\begin{aligned} f(x) &= x, & \text{for } x = 0 \\ &= \frac{1}{2} - x, & \text{for } 0 < x < \frac{1}{2} \end{aligned}$$

Is the function continuous at $x = 0$? 3

(c) State Intermediate Value theorem. Use the theorem to show that

$$x^3 - x^2 + 2x - 1 = 0 \text{ has a root in } (0, 1). \quad 1+3=4$$

(d) Use ε - δ definition to show that

$$\lim_{x \rightarrow 2} (2x + 1) = 5 \quad 5$$

2. (a) Evaluate : 3+3=6

$$(i) \lim_{x \rightarrow \infty} \frac{1 - \sqrt{x}}{1 + \sqrt{x}}$$

$$(ii) \lim_{x \rightarrow 0} \frac{(1+x)^2 - 1}{x}$$

(b) Prove that the function defined by

$$\begin{aligned} f(x) &= 0 & \text{for } x^2 > 1 \\ &= \frac{1}{2} & \text{for } x^2 = 1 \\ &= 1 & \text{for } x^2 < 1 \end{aligned}$$

has discontinuities at $x = \pm 1$. 5

(3)

(c) Show that the function

$$f(x) = \begin{cases} \frac{x^2-1}{x-1} & , \quad x \neq 1 \\ 0 & , \quad x = 1 \end{cases}$$

has a removable discontinuity at $x = 1$. 3

(d) State Fixed Point theorem. Find the fixed point of the function

$$f(x) = \frac{1}{2}x + 1 \quad 1+3=4$$

UNIT—II

3. (a) Find the derivatives of—

(i) x^x with respect to x ;

(ii) x^6 with respect to x^3 . 3+3=6

(b) Find the range of values of x for which the function

$$f(x) = x^3 - 6x^2 - 36x + 7$$

increases with x . 4

(c) Differentiate n times the equation

$$(1+x^2)y_2 + y_1 = 0 \quad 4$$

(4)

- (d) Find the value of ξ in the mean value theorem

$$f'(\xi) = \frac{f(b) - f(a)}{b - a}$$

where $f(x) = x^2 + 3x + 2$, $a = 1$, $b = 2$ and $1 < \xi < 2$.

5

4. (a) State Rolle's theorem. Verify Rolle's theorem for the function $f(x) = x^2$ in the interval $-1 \leq x \leq 1$.

2+4=6

- (b) If $x^y = y^x$, find $\frac{dy}{dx}$.

3

- (c) Show that $x > \sin x$ for $0 < x < \frac{\pi}{2}$.

5

- (d) Find the n th derivative of $y = \sin x$. Hence find the 4th derivative of y at $x = 0$.

4+1=5

UNIT—III

5. (a) Evaluate :

5

$$\int_0^{\pi/2} (a^2 \cos^2 x + b^2 \sin^2 x) dx$$

- (b) Deduce the reduction formula for $\int \cos^n x dx$, n being a positive integer greater than 1.

5

(5)

(c) If

$$f(x) = \begin{cases} \cos x, & -\frac{\pi}{2} \leq x \leq 0 \\ \sin x, & 0 < x \leq \frac{\pi}{2} \end{cases}$$

show that $\int_{-\pi/2}^{\pi/2} f(x) dx = 2$.

4

(d) Find by integration, the area bounded by the parabola $y^2 = 4x$ and its latus rectum.

5

6. (a) Apply the definition of a definite integral as the limit of a sum to evaluate

$$\int_2^3 3x dx$$

5

(b) Find the perimeter of the circle $x^2 + y^2 = a^2$ using integration.

5

(c) Evaluate :

3

$$\int_{-1}^1 (x) dx$$

(d) Obtain the reduction formula for $\int x^n e^{ax} dx$, n being a positive integer.

Hence find $\int x^2 e^{ax} dx$. 3+3=6

UNIT—IV

7. (a) If z_1 and z_2 are two complex numbers, then show that $|z_1 z_2| = |z_1| |z_2|$ and $\text{amp}(z_1 z_2) = \text{amp} z_1 + \text{amp} z_2$. 5

- (b) Find the values of $(1 - i)^{1/3}$. 5

- (c) Apply synthetic division to find the quotient polynomial and the remainder when $3x^5 - 4x^4 + 6x^3 - 9x + 2$ is divided by $x + 3$. 4

- (d) If α, β, γ are the roots of the equation $x^3 + px + q = 0$, find the value of

$$\sum \frac{1}{\alpha + \beta} \quad 5$$

8. (a) Solve the cubic equation $x^3 - 6x - 9 = 0$ by Cardan's method. 6

- (b) Express $x^5 + 5x^3 + 3x$ as a polynomial in $(x - 1)$. 4

- (c) Solve the equation

$$x^3 - 15x^2 + 6x - 80 = 0$$

given that the roots are in arithmetic progression. 5

(7)

(d) Prove that the equation
 $x^6 - 3x^2 - x + 1 = 0$ has at least two
imaginary roots.

4

★ ★ ★